


Endometrial Cancer Suspected

Oncology > Oncology > Endometrial Cancer Suspected

- Information
- Referral
- National info
- Local info
- Note
- Primary care
- Secondary care
- Formulary
- Information

- Care map information
- Information and resources
- Updates to this care map
- Hauora Maori
- Pasifika
- Advance care planning

Faster cancer treatment time frames



Endometrial Cancer Suspected

Oncology > Oncology > Endometrial Cancer Suspected

1 Care map information

Quick info:

In scope:

- investigation, diagnosis, staging, management, and follow-up of endometrial cancer symptoms
- adults over age 18 years
- investigation of Post-Menopausal Bleeding, Heavy Menstrual Bleeding and Post Coital/Intermenstrual Bleeding to diagnose Endometrial Cancer

Out of scope:

- diagnosis and management of uterine sarcoma

Definition:

- endometrial cancer:
 - most common type is endometrioid adenocarcinoma, which is composed of malignant glandular epithelial elements
 - clear-cell and serous carcinoma of the endometrium are tumours that are histologically similar to those noted in the ovary and the fallopian tube
 - in approximately 75% of patients with endometrial adenocarcinoma, the invasive neoplasm is localised to the uterus at diagnosis (stage I)
 - PMB – defined as the occurrence of vaginal bleeding 12 months or more after a woman's last menstrual cycle

References:

[1] Scottish Intercollegiate Guidelines Network (SIGN). Investigation of post-menopausal bleeding. A national clinical guideline. SIGN Publication no. 61. Edinburgh: SIGN; 2002.

2 Information and resources

Quick info:

Information resources for people and their whanau/carers:

- [The New Zealand Gynaecological Cancer Foundation](#)
- [Cancer Society \(NZ\)](#)
- [Gynaecology Cancers - Information for all Women](#)

3 Updates to this care map

Quick info:

Date of publication December 2017

Review date: December 2018

This care map has been developed in line with consideration to evidenced based guidelines. For further information on contributors and references please see the Pathway's Provenance Certificate.

NB: This information appears on each page of this care map.

4 Hauora Maori

Quick info:

Maori are a diverse people and whilst there is no single Maori identity, it is vital practitioners offer culturally appropriate care when working with Maori whanau. It is important for practitioners to have a baseline understanding of the issues surrounding Maori health. This knowledge can be actualised by (not in any order of priority):

- considering the importance of introductions ('whanaungatanga') - a process that enables the exchange of information to support interaction and meaningful connections between individuals and groups. This means taking a little time to ask where this person is from or to where they have significant connections
- asking Maori people if they would like their whanau or significant others to be involved in assessment and treatment
- asking Maori people about any particular cultural beliefs they or their whanau have that might impact on assessment and treatment of the particular health issues

Published: 15-Dec-2017 Valid until: 30-Jun-2019 Printed on: 16-Sep-2018 © Map of Medicine Ltd

This care map was published by Hawkes Bay District. A printed version of this document is not controlled so may not be up-to-date with the latest clinical information.

Endometrial Cancer Suspected

Oncology > Oncology > Endometrial Cancer Suspected

Maori health services

HBDHB contracts Maori health providers to deliver community based nursing and social support services. Practitioners should discuss, where appropriate, information about relevant Maori health services. A referral to one of these providers may assist Maori people to feel more comfortable about receiving services following discussions.

Central Hawke's Bay:

[Central Health](#)

Cnr Herbert & Ruataniwha Streets, Waipukurau

Phone: 06 858 9559 Fax: 06 858 9229

Email: reception@centralhealth.co.nz

[Referral Form](#)

Hastings:

[Te Taiwhenua o Heretaunga](#)

821 Orchard Road, Hastings 4156

Phone: 06 871 5350 Fax: 06 871 535

Email: taiwhenua.heretaunga@ttoh.iwi.nz

[Referral Form](#)

[Kahungunu Health Services](#) (Choices)

500 Maraekakaho Road, Hastings

Phone: 06 878 7616

Email: kahungunu@paradise.net.nz

[Referral Form](#)

Napier:

[Te Kupenga Hauora](#)

5 Sale Street, Napier

Phone: 06 835 1840

Email: info@tkh.org.nz

[Referral Form](#)

Wairoa:

Kahungunu Executive (no website)

65 Queen Street, Wairoa 4108

Phone: 06 838 6835 Fax: 06 838 7290

Email: kahu-exec@xtra.co.nz

Secondary care Maori Health Services:

Hawke's Bay DHB - Te Wahanga Hauora Maori Health Services

Phone: 06 878 8109 ext. 5779, 06 878 1654 or 0800 333 671 Email: admin.maorihealth@hawkesbaydhb.govt.nz

Further Information

Practitioners should be versed in the knowledge of:

- historical overview of legislation that impacted on Maori well-being
- Maori models of health, such as [Te Whare Tapa Wha](#) and Te Wheke when working with Maori whanau
- national Maori Health Strategies:
 - **Mai Maori Health Strategy 2014-2019** - [Full file](#) or [Summary diagram](#)
 - **He Korowai Oranga**: Maori Health Strategy - sets the [Government's overarching framework](#) to achieving the best health outcomes for Maori
- local [Hawke's Bay health sector's strategies and initiatives](#) for improving Maori health and wellbeing

Endometrial Cancer Suspected

Oncology > Oncology > Endometrial Cancer Suspected

- [Medical Council of New Zealand competency standards](#)

Cultural Competency Training

Training is available through the Hawke's Bay DHB to assist you to better understand Maori culture and to better engage with Maori people. Contact the coordinator

Email: education@hbdhb.govt.nz to request details of the next courses.

5 Pasifika

Quick info:

Pacific people value their culture, language, families, education and their health and wellbeing. Many Pacific families have a religious affiliation to a local church group.

The Pacific people are a diverse and dynamic population:

- more than 22 nations represented in New Zealand
- each with their own unique culture, language, history, and health status
- share many similarities which we have shared with you in order to help you work with Pacific people more effectively
- for many families language, cost and access to care are barriers

Pacific ethnic groups in Hawke's Bay include Samoa, Cook Islands, Fiji, Tonga, Niue, Tokelau, Kiribati and Tuvalu. Samoan and Cook Island groups are the largest and make up two thirds of the total Pacific population. There is a growing trend of inter-ethnic relationships and New Zealand born Pacific populations.

Acknowledge [The FonaFale Model](#) (Pacific model of health) when working with Pacific people and families.

General guidelines when working with Pacific people and families (information developed by Central PHO, Manawatu):

- [Cultural protocols and greetings](#)
- [Building relationships](#) with your Pacific people
- [Involving family support and religion](#) during assessments and in the hospital
- [Home visits](#)

Hawke's Bay-based resources:

- [HBDHB interpreting service website](#) or phone 06 8788 109 ext. 5805 (no charge for the hospital; charges may apply for community-based translations) or contact coordinator at interpreting@hbdhb.govt.nz
- Pacific Navigation Services Ltd Phone: 027 971 9199
- services to assist Pacific people to access healthcare ([SIA](#))
- [Improving the Health of Pacific People in Hawke's Bay](#) - Pacific Health action Plan

Ministry of Health resources:

- [Ala Mo'ui](#) Pathways to Pacific Health and wellbeing 2014-2018
- [Primary Care for Pacific people](#): a Pacific and health systems approach
- Health education resources in [Pacific languages](#) (links to a web page where you can download resources)

6 Advance care planning

Quick info:

Advance Care Planning:

Advance Care Planning is a voluntary process of discussion and shared planning for future health care. It involves the person who is preparing the plan, and usually involves family/whanau and health care professionals.

Advance Care Plan:

An Advance Care Plan is the outcome of Advance Care Planning. It is formulated by the person and sets out their views about care towards the end of their life. It may also include views about medical care and a wide range of other matters. An Advance Care Plan may include an Advance Directive.

Advance Directive:

An Advance Directive is a statement a person makes about their medical care in the future and becomes effective if a person ceases to be competent to make decisions for themselves. An Advance Directive is legally binding if made in appropriate circumstances.

Competency and Advance Care Planning:

Endometrial Cancer Suspected

Oncology > Oncology > Endometrial Cancer Suspected

Competent people have the right to make autonomous decisions that as medical professionals we may regard as imprudent, and sometimes such decisions are a reflection of the person's longstanding personality, beliefs or lifestyle. This right is described in the Health and Disability Consumers Rights Acts.

According to ACP - A Guide for the NZ Health Care Workforce - "in the context of ACP, competency relates to an individual's ability to make a decision regarding their own health care (that is, competence at decision-making or decision-capacity). At a minimum, decision making capacity requires the ability to understand and communicate, to reason and deliberate, and the possession of a set of values".

Helpful websites:

- [The code of rights](#)
- [Advance care planning guide Ministry of Health](#)
- [Advance care planning resources](#)

7 Faster cancer treatment time frames

Quick info:

[Ministry of Health Faster Cancer Treatment \(FCT\) time frames:](#)

- FCT is a person's pathway approach to ensuring timely clinical cancer care and is measured by the following agreed indicators:
 - for people referred urgently with a high suspicion of cancer they receive their first cancer treatment (or other management) within 62 days
 - for people referred urgently with a high suspicion of cancer they have their first specialist assessment within 14 days
 - for people with a confirmed diagnosis of cancer they receive their first cancer treatment (or other management) from decision-to-treat within 31 days

[Ministry of Health National Tumour standards](#)

[Faster Cancer Treatment: High suspicion of cancer definitions](#) This document outlines the red flags for high suspicion of cancer.

8 Clinical Presentation

Quick info:

Clinical Presentation

People with endometrial cancer may present with:

- abnormal vaginal bleeding including:
 - post-menopausal bleeding (PMB) – unexplained vaginal bleeding more than 12 months after menstruation has stopped because of menopause
 - sudden alterations in the menstrual cycle
 - irregular bleeding
 - intermenstrual bleeding
 - postcoital bleeding
- vaginal discharge
- abdominal or pelvic mass
- abdominal pain
- anaemia
- thrombocytosis
- high glucose
- tamoxifen use

Symptoms of more advanced disease include:

- pelvic or hip pain
- weight loss
- shortness of breath
- cough
- abdominal or leg swelling

Endometrial Cancer Suspected

Oncology > Oncology > Endometrial Cancer Suspected

- haematuria
- renal failure
- back pain
- bowel syndromes

Co-morbidities include:

- Lynch syndrome
- Peutz-Jeghers syndrome

NB: Only 10% of patients presenting with PMB have endometrial cancer [1].

References:

[1] Scottish Intercollegiate Guidelines Network (SIGN). Investigation of post-menopausal bleeding. A national clinical guideline. SIGN Publication no. 61. Edinburgh: SIGN; 2002.

Provenance Certificate

Endometrial Cancer – Suspected

Overview

This document describes the provenance of Hawke's Bay Region Gynaecological Cancer Pathways.

The purpose of implementing cancer pathways in our District is to:

- Reduce barriers so that all people with cancer are able to access the same quality care within the same timeframes, irrespective of their ethnicity, gender, locality or socio-economic status
- Achieve the faster cancer treatment (FCT) health target – 85% of patient receive their first cancer treatment (or other management) within 62 days of being referred with a high suspicion of cancer and a need to be seen within two weeks by July 2016, increasing to 90% by June 2017
- Implement the national tumour standards of service provision, developed as part of the FCT programme, to support the delivery of standardised quality care for all people with cancer
- Improve equity along the cancer pathway
- Clarify expectations across providers
- Improve communications and follow up care for cancer patients

To cite these pathways, use the following format:

Map of Medicine – Hawke's Bay View / Oncology /Gynaecological / Endometrial Cancer – Suspected

Editorial methodology

This care map has been based on a Map of Medicine Care Map developed according to the Map of Medicine editorial methodology. The content of the Map of Medicine care map is based on high quality guidelines and practice-based knowledge provided by contributors with front-line clinical experience (see contributors section of this document). This localised version of the evidence-based, practice informed care map has been peer-reviewed by the HBDHB and Collaborative Clinical Pathways Director and with stakeholder groups.

References

1	Scottish Intercollegiate Guidelines Network (SIGN). Investigation of post-menopausal bleeding. A national clinical guideline. SIGN Publication no. 61. Edinburgh: SIGN; 2002.
	Faster Cancer Treatment (FCT): High Suspicion of Cancer Definitions 2016. Ministry of Health
	Canterbury Health Pathways

Contributors

The following individuals have contributed to this local care map:

- Elaine White, Consultant, Obstetrics and Gynaecology, Hawke's Bay DHB
- Catherine Kelsey, CNS Gynaecology, Hawke's Bay DHB
- Dr Lisa Kleinert, General Practitioner, Greendale Family Health Centre
- Leigh White, Strategic Services Portfolio Manager, Hawke's Bay DHB
- Wendy Wasson, Collaborative Pathways Facilitator/Editor, Hawke's Bay DHB

The following individuals have contributed to the sub-regional care maps:

- Digby Nang Kee, Gynaecologist MidCentral DHB
- Gillian Forsyth, CNS Gynaecology, MidCentral DHB
- Tray Haddon, Quality and Service Improvement Manager, Pae Ora Māori Health, MidCentral DHB
- Rebecca James, Clinical Nurse Manager Māori Health, MidCentral DHB
- Stephanie Fletcher, Project Manager, Central Cancer Network, MidCentral DHB
- Katherine Gibbs, Project Manager, MidCentral DHB
- Catherine Kelsey, CNS Gynaecology, Hawke's Bay DHB
- Elaine White, Consultant, Obstetrics and Gynaecology, Hawke's Bay DHB
- Keven Nevil, Consultant, Obstetrics and Gynaecology Whanganui DHB (Secondary Care Clinical Lead)
- Ruth Carter, General Practitioner, Whanganui Regional Health Network (Primary Care Clinical Lead)
- Ray Jackson, Project Director, Collaborative Clinical Pathways (Facilitator)
- Kim Vardon, Project Assistant, Collaborative Clinical Pathways (Editor)

Disclaimers

Clinical Pathways Steering Group, Hawke's Bay DHB and Health Hawke's Bay – Te Oranga Hawke's Bay.

It is not the function of the Clinical Pathways Steering Group, Hawke's Bay DHB and Health Hawke's Bay – Te Oranga Hawke's Bay to substitute for the role of the clinician, but to support the clinician in enabling access to know-how and knowledge.

Users of the Map of Medicine are therefore urged to use their own professional judgement to ensure that the person receives the best possible care.

Whilst reasonable efforts have been made to ensure the accuracy of the information on this online clinical knowledge resource, we cannot guarantee its correctness and completeness. The information on the Map of Medicine is subject to change and we cannot guarantee that it is up-to-date.